



Classic filament LEDbulbs

LED classic 60W G93 E27 WW FR ND RFSRT4

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

Product data

General information	
Cap-Base	E27 [E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Technical Type	7-60W
Flux measurement reference	Sphere
Tier	CorePro
Light technical	
Color Code	827 [CCT of 2700K]
Luminous Flux (Nom)	806 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	115.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	7 W
Lamp Current (Nom)	60 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.51
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	45 °C
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Finish	Frosted
Bulb Shape	G93 [G 93mm]

Classic filament LEDbulbs

Approval and application


Energy Efficiency Class	E
Energy Consumption kWh/1000 h	7 kWh
EPREL Registration Number	374912

Product data

Full product code	871869976469200
Order product name	LED classic 60W G93 E27 WW FR ND RFSRT4

EAN/UPC - Product	8718699764692
Order code	929002370801
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4
Material Nr. (12NC)	929002370801
Net Weight (Piece)	0.070 kg



Dimensional drawing



LED classic 60W G93 E27 WW FR ND RFSRT4


Product	D	C
LED classic 60W G93 E27 WW FR ND RFSRT4	95 mm	140 mm

Photometric data



LEDbulb CLA 7W G93 E27 827 FR

LEDbulb CLA 7W G93 E27 827 FR



LEDbulb CLA G93 7W E27 827 FR

Classic filament LEDbulbs

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

